

Work Order ID 110019

110019

Page 1

December-17-13 9:06:16 AM

Item ID: D3245-13 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Gasket 9.50
 Start Date: 12/17/13 Start Qty: 5.00 *5* Cust Item ID:
 Required Date: 12/17/13 Req'd Qty: 5.00 *5* Customer:
 Reference:

Approvals: Process Plan: MC Date: 12-12-17 Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D3245	D								
100	FLOW WATER JET	0.00							
100									
Waterjet	Memo	0.00							
FLOW CNC Waterjet	1-Cut as per Dwg D3245								
G-89 Gasket.	Dwg Rev: <u>D</u>								
	Prog Rev: <u>D</u>								
110	QC2- Inspect parts off machine FAI/FAIB	0.00							
110									
QC	Memo	0.00							
Quality Control									

⑤

DE 14/09/07

⑤

DE 14/09/07

~ Work Order ID 110019

110019

Page 2

December-17-13 9:06:16 AM

Item ID: D3245-13 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Gasket 9.50
 Start Date: 12/17/13 Start Qty: 5.00 *5* Cust Item ID:
 Required Date: 12/17/13 Req'd Qty: 5.00 *5* Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	QC8- Inspect parts - second check	0.00							DAS 38 9-89 14-9-8
120									
QC	Memo	0.00							
Quality Control									
130	Identify as per dwg & Stock Location: ST 031	0.00							DAS 26 9-89
130									
Packaging	Memo	0.00							
Packaging									
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.00							
Quality Control									

MF
14-9-9

Picklist Print

December-17-13 9:06:16 AM

Page 1

Work Order ID: 110019
 Parent Item: D3245-13
 Parent Item Name: Gasket 9.50

Start Date: 12/17/13 Required Date: 12/17/13
 Start Qty: 5.00 Required Qty: 5.00

Comments: IPP B04.12.06Made in-houseKJ/JLM
 IPP Rev:C ecn 1052/water jet 07-11-05 DD verified by:EC IPP Rev:D 12.11.07 PER DWG
 REV.D DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
G89 Coated Cloth		Purchased	No			100	sf	46.6000	0.0462	0.243158		12/14/09/07	

Location	Loc Qty	Loc Code
MAT052	46.6	
123993	4.5	
124498	42.1	
B 94714		1.5






D3245

113-12-17

116019

D3245-041 ACCESS PANEL ASSY (LH)

D3245-042 ACCESS PANEL ASSY (RH)



QTY -041	QTY -042	P/N	DESCRIPTION
X	X	D3245-041	ACCESS PANEL ASSY (LH)
		D3245-042	ACCESS PANEL ASSY (RH)
1		D3245-1	PANEL
	1	D3245-2	PANEL
1	1	D3245-5	ANGLE PLATE
8	8	2350-18-C3Y	RECEPTACLE
16	16	MS20427M3-3	RIVET
9	9	MS20615M3-3	RIVET

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) ASSEMBLE IN ACCORDANCE WITH DART QSI 002
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3245-XX" AND B/N "BXXXXX" PER QSI 044 METHOD 6.1
- 7) WEIGHT: 0.83 lbs
- 8) TEMPORARILY INSERT A 0.032" GAUGE PLATE PRIOR TO RIVETING D3245-5 TO PANEL

D	CHANGED MATERIAL FOR D3245-7/9/11/13. REASON: PROCUREMENT, REF CAR12-68.	MB	12.10.16
C	ADDED NOTE 8, SHEET 1. SPECIFIED RIVET ORIENTATION (B4-1, B5-1). CHANGED 1/4-TURN STUD FROM 2351-20-009-C3Y TO 2351-20-012-C3Y. (D5-2) HOLE SIZE WAS 0.098, 8 PLACES (D6-6) HOLE SIZE WAS 0.219, 8 PLACES (D7-5). REF: PAR 12-165.	RP	12.04.11
B	REMOVE Ø0.204 HOLES FROM D3245-1/1F. REMOVE MS21000-L3K NUTPLATES & DURABLE BLACK GASKETS FROM D3245-041/-042. HOLES AND ITEMS ARE NOW PART OF INSTALLATION. ASSIGN P/Ns TO GASKETS & REFORMAT DRAWING.	MB	07.10.02
A	NEW ISSUE	RF	04.01.27
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	12.10.16		

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. **D3245** REV. D
SHEET 1 OF 7
TITLE **ACCESS PANEL ASSY** SCALE NTS

COPYRIGHT © 2014 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED IN ANY FORM OR BY ANY MEANS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

D3245-3 DOOR

2351-20-012-C3Y STUD
127H-35 GROMMET
8 PL

8.00
REF

8.00 REF

D3245-7 GASKET
REF

INSTALL D3245-7
GASKET ON THIS SIDE
6

D3245-043 DOOR ASSY




QTY -043	P/N	DESCRIPTION
X	D3245-043	ACCESS PANEL ASSY
1	D3245-3	DOOR
1	D3245-7	GASKET
8	127H-35	GROMMET
8	2351-20-012-C3Y	STUD

NOTES:



- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) INSTALL D3245-7 GASKET USING 3M SCOTCH-GRIP 1300/1300L ADHESIVE IN ACCORDANCE WITH MANUFACTURER'S INSTRUCTIONS
- 7) ASSEMBLE IN ACCORDANCE WITH DART QSI 002
- 8) IDENTIFICATION: IDENTIFY WITH DART P/N "D3245-043" AND B/N "BXXXXX" PER QSI 044 METHOD 6.1
- 9) WEIGHT: 0.74 lbs

DESIGN	#	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	JP	DRAWING NO. D3245	REV. D
CHECKED	JP	SHEET 2 OF 7	
MFG. APPR.	JP	TITLE ACCESS PANEL ASSY	SCALE NTS
APPROVED	JP	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR REPRODUCED TO ANY OTHER PERSON WITHOUT THE WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DE APPR.	JP	DATE 12.10.16	




RELEASED
2012-11-06
MD



D3245-1 PANEL (LH)



D3245-2 PANEL (RH)



NOTES:

- 1) MATERIAL: MAKE FROM D3245-1F
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.70 lbs

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. D
MFG. APPR.		D3245	SHEET 3 OF 7
APPROVED		TITLE	SCALE
DE APPR.		ACCESS PANEL ASSY	
DATE	12.10.16	NTS	
<small>COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>			


RELEASED
2012-11-06

8 7 6 5 4 3 2 1


D

C


B



D3245-3F DOOR FLAT PATTERN









**D3245-3 DOOR
(MADE FROM D3245-3F)**




NOTES:

- 1) MATERIAL: AISI 304/316 SS SHEET, 0.032 THICK, ANNEALED, 2B FINISH, PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240 (REF. DART SPEC. M304S22GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.66 lbs


RELEASE
2012-11-06

DESIGN		DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO. D3245	REV. D
MFG. APPR.		TITLE ACCESS PANEL ASSY	SHEET 5 OF 7
APPROVED			SCALE
DE APPR.			NTS
DATE	12.10.16	COPYRIGHT © 2004 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESSED CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	


8 7 6 5 4 3 2 1



D3245-5F FLAT PATTERN



D3245-5 ANGLE PLATE
(MAKE FROM D3245-5F)




NOTES:


- 1) MATERIAL: AISI 304/316 SS SHEET, 0.032 THICK, ANNEALED, 2B FINISH, PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240 (REF. DART SPEC. M304S22GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.08 lbs

DESIGN	<i>JP</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	<i>JP</i>	DRAWING NO. D3245	REV. D
CHECKED	<i>JP</i>	SHEET 6 OF 7	
MFG. APPR.	<i>JP</i>	TITLE	SCALE
APPROVED	<i>JP</i>	ACCESS PANEL ASSY	NTS
DE APPR.	<i>JP</i>	COPYRIGHT © 2004 BY DART AEROSPACE LTD	
DATE	12.10.16	THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

RELEASE
2012-11-06



D3245-7 GASKET



D3245-X GASKET

P/N	LENGTH
D3245-9	8.35
D3245-11	9.01
D3245-13	9.50

NOTES:

- 1) MATERIAL: THERMO-CHEM P/N G-89, 0.060 THICK
POSSIBLE SUPPLIER: A.R. THOMSON GROUP
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: D3245-7 = 0.04 lbs; D3245-9/-11/-13 = LESS THAN 0.01 lbs

RELEASED
2012-11-06
JMP

DESIGN	JE	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	JP	DRAWING NO.	REV. D
CHECKED	JP	D3245	SHEET 7 OF 7
MFG. APPR.	JP	TITLE	SCALE
APPROVED	JP	ACCESS PANEL ASSY	NTS
DE APPR.	JP	COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR FOR THE DISSEMINATION OF ANY INFORMATION WITHOUT THE WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DATE	12.10.16		